App F IX-4

Previous References 1934-35 (mel)

File No 58-34

Serial Nos 122

Later References

PRESERVED

GENERAL AND REVENUE SECRETARIAT.

Serial Nos 2

Part B for August 34

SUBJECT

Sanctions the installation of a hand operated overhead crane for the purpose of uncoupling and shifting the machinery at the Belagola Pumping Station

To Exr of Health
Comptr
Chief Engr
& Presdt cls mle cl, Mysore

NOL 441-4

dy 23-7-34

WD 01965—GPB—15 000—7 7-34

mle 25-10-34

Mr 58-34-1

GOVERNMENT OF MYSORE

DEPARTMENT OF HEALTH

21-VI-1934

J V KARVE MB CHB DPH
Director of H lth

Tlphone No 340
Tlgam HEALTH

No C600-70
Encl Two

GRACE VILLE PALACE ROAD

Bangalore (S India) dated June 28/29 1934

FROM

J V KARVE Esq MB CHB (EDIN) DPH (LOND)
Director of Health with the Government of
H H the Maharaja of Mysore Bangalore

29 JUN 1934

S Abdul Wajid, Esq, B A,
General Secretary to the Government of
H H the Maharaja of Mysore, Bangalore

SIR

I have the honour to state that Government in their order No L 112-15/M1 246-13-14 dated the 6th/8th July 1933 sanctioned an estimate for Rs 1 5 lakhs for improvement to water supply of Mysore Municipality No VI item of the estimate provides for installation of a new 3 million gallon pumping unit at Belagola, costing Rs 27,100/-

For purposes of uncoupling and shifting of the heavy parts of the machinery at Belagola it is necessary to instal a hand operated overhead crane Without this, when any break down occurs in the electric motor, uncoupling and shifting of the heavy parts of the machinery become difficult and may even involve risk to running parts in close proximity It is now proposed to instal a hand operated overhead crane at Belagola estimated to cost Rs 2,650/- This amount will be found from the savings in the estimate for installing the new pumping unit

The estimate for the crane alongwith the report explaining the same are enclosed for perusal

The estimate for Rs 27100 has been sanctioned already in G O no L 8959-62 of 25 6 34

I have the honour to be,
Sir,
Your most obedient servant,

Director of Health

Installation of a overhead crane at Belgola pumping station

L 21 422

Serial No

The present estimate for Rs 2650 is a new item not provided for in the estimate of Rs 27100 - a the Director of Works states that the installation of a hand operated overhead crane is necessary and the cost will be met from the savings in the estimate for Rs 27100, sanctioned for installing the new pumping unit

Submitted with a draft G.O. for

(ref 241-31 of 1-14) 7 approval orders with references

JS 6/7
6/7/34

The draft may be approved

Chief Secy) 7/7

Approved

RR
& 19/7/34

TYPING SECTION * 19 JUL 1934 * GENL & REV SECTT

Issued vide Govt Memo No 441-4 of 23/7/34 to Director of Works, Comptr, Chief Engr, Present Engineer Sanctions the Estimate

Letter no C 800 of 30/7/34 from the Director of Works in regard, requesting the Return given Sanctioned estimate

Draft returning the estimate is submitted for approval

Issue 4/8

4 AUG 1934 * GENL & REV SECTT

L 940 of 6/8/34 to Director of Works Returning with Estimate

NOTE—Contn Sheet 9

WD 01955—GPB—22 500—12 6-34

File No	of 193	General and Revenue Secretariat

FR S F VI—G 21

SUBJECT

(3)

DLG

Diary No of letter replied to L21

Section Gnl

File No 58-34

Serial No 2

General and Revenue Secretariat

(Gnl)

the *193*

Proceedings of the Government of His Highness the Maharaja of Mysore

Date of issue 23-7- 1934

Signed by Sri Q.S Rao

Read— G O no X L 8959-62 Gnl 204-33-5 dt 25/6/34 Sanctioning an estimate for Rs 27100/- for the purchase and installation of an additional pumping set of 3.5 million gallons capacity at the Balagh pumping station ~~Order thereon—No~~

2) Letr. no. C800-70 dated 29th June 34, from the Director of Health in Mysore, stating that it is necessary to instal a hand operated overhead crane for purposes of uncoupling & shifting the heavy parts of the machinery

May this be—

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette English part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette kannada part ?

at Belagola and forwarding
an estimate for Rs 2650 for installing
the same, at Belagola, the amount
being met from the savings
in the estimate of Rs 27100, referred
to in the G.O. read above

Order L 441-4 Dy 23-7-30

Sanctioned

Rs
2 11704

Copy to Engr
Dy 1/7

The Director of Health in Mysore
The Comptroller to Govt
The Chief Engr in Mysore
The Treasurer City Mail Mysore

List of Enclosure

Copied by

Examined by

WD 0254—GPB—10 000—22-8 32

OF HIS HIGHNESS

Ecln 5

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Read —

Letter No C 800-48 dated 10th April 1934 from the Director of Health in Mysore forwarding for sanction an estimate for Rs 27,100 for the purchase and installation of an additional pumping set of 3 5 million gallon capacity at the Belagola pumping station

****

ORDER No L895-9-62/Rvl 204-33 S
EC Plan & Estimate

Dated Bangalore the 25th June 1934

Sanctioned

Aravamudan
For Chief Secretary to Government

To

The Director of Health in Mysore with plan & Estimate
The Comptroller to Government ~~with Plan and Estimate~~
The Chief Engineer in Mysore
The President City Municipal Council Mysore

Extra

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Read —

Government Order No.L 8959-62 & 1.204-33-5 dated 25th June 1934 sanctioning an estimate for Rs. 27100/- for the purchase and installation of an additional pumping set of 3.5 million gallons capacity at the Belagola Pumping Station

2. Letter No.C 800-70 dated 29th June 1934, from the Direc of Health in Mysore, stating that it is necessary to instal a hand operated overhead crane for purposes of uncoupling and shifting of the heavy parts of the machinery at Belagola and forwarding an estimate for Rs.2650 for installing the same at Belagola, the amou being met from the savings in the estimate of Rs.27100, referred to in the Government Order read above.

O r d e r No. L 441-4/ Rl 58-34-2

Dated, Bangalore, ~~20th~~ 23rd July 1934.

S A N C T I O N E D

Adiabarao

Chief Secretary to Government.

To

The Director of Health in Mysore,

The Comptroller to Government,

The Chief Engineer in Mysore,

The President, City Municipal Council, Mysore.

GOVERNMENT OF MYSORE

DEPARTMENT OF HEALTH

422

J V KARVE MB CHB DPH
Director of Health

Telephone No 340

Telegram HEALTH

Encl. C800 80

GRACE VILLE PALACE ROAD

Bangalore (S India) dated July 28, 1934

FROM

J V KARVE Esq MB CHB (Edin) DPH (Lond)
Director of Health with the Government of
His Highness the Maharaja of Mysore
Bangalore

To

R Ranga Rao, Esq ,B A ,B L ,
Chief Secretary to the Government of
H H the Maharaja of Mysore, Bangalore

Sir

Subject - Installation of an additional pumping set at the Belagola Pumping Station

---

Adverting to Government Order No L 441-4/M1 58--34-2 dated 23rd July 1934 sanctioning an estimate for Rs 2,650/- for installing an overhead crane for shifting of heavy parts of the machinery at Belagola, I have the honour to request the favour of return of the sanctioned estimate

I have the honour to be,
Sir,
Your most obedient servant,

Director of Health

Appendix F G—1]

SUBJECT

(8

Section Mil

File No 58-34

Serial No

Diary No of letter replied to Letter

No C 940

To

The Director of Health

in respse

Bangalore

General and Revenue Secretariat

( )

the *193*

Sir,

te of issue 6th Dec 1934

With reference to your letter no C800-80 dated 30/7/34 I am directed to return herewith the launching estimate for Rs 3650/- for installing an overhead crane for shifting of heavy parts of the machinery at Belagola

ed by Mr A S Rao

I have the

nclosures

for Chief Secy to Govt

WD 01966—GPB—22 630—12 6-34